

## GingiPro™

Doxycycline (as monohydrate),  
EIDD-1931,  
Meloxicam

## GingiPro Duo™

Doxycycline (as monohydrate),  
EIDD-1931

## GingiPro Solo™

EIDD-1931

This is a specially compounded preparation designed for the treatment of cats with Calicivirus-associated stomatitis. It is dispensed using the Topi-CLICK Perl®, a precision dosing applicator that allows accurate, consistent oral doses every time. 1 click = 0.25 mL of paste.


### How to Administer

1. Open cap (figure a.): Flip open the top cap on the Topi-CLICK Perl® device.
2. Attach the Snap-on Applicator (figure b.) to the base by aligning and snapping it into the receptor port. Make sure the plunger touches the base.
3. Hold the device vertically and upright.
4. Turn the base until you hear a click, this loads the dose into the applicator (figure c.).
5. Repeat step 4 if another click is required.
6. Remove applicator by gently tilting the applicator off the base – do not pull straight off (figure d.).
7. Wipe the nozzle with a clean tissue and flip the cap back down to close the device.
8. Administer the dose directly into the mouth using the plunger.
9. Gently massage under the chin if needed to encourage swallowing.

### Important Notes

- Pregnant women should not handle.
- Wear gloves when handling. Wash hands after administration.
- Store medication at room temperature, away from direct sunlight.
- Wash the applicator thoroughly after use.
- Applicator is dishwasher safe; use with caution to avoid residual medicine transfer when cleaning (max. 30 cycles).
- Follow the dose prescribed by your veterinarian and do not exceed the number of clicks.
- This product contains an antibiotic and an antiviral. Use responsibly to help prevent antimicrobial resistance.

### Scan QR code: How-To-Use Video



Stokes is not affiliated with, sponsored by, or endorsed by Team Technologies, Inc. Topi-CLICK Perl® is a registered trademark of Team Technologies, Inc.

