Stokes Pharmacy®
Precision Compounding - Nationwide.

Insulin Not Coming Down?

Improve recovery from hyperinsulinemia-associated laminitis with

Ertugliflozin

5mg/mL ORAL PASTE

15 mL or 60 mL dial a dose

- **Once daily oral paste** (molasses flavor)[1,2]
- **Reduces insulin rapidly**. Following treatment, there was a reduction in insulin concentrations from a median of >300 µU/mL (IQR: 149, >300) to 43 µU/mL (IQR: 20, 66) ($p < 0.001$)[1]
- **Backed by clinical studies.** The only oral formula identical to the Bova formula used in clinical studies[1,2]
- Available by **patient prescription in all states** and for **office use in most states**

Learn more!

Order today!

For office orders, call **888.508.5032**. For patient orders, call **800.754.5222**
View pricing, expiration dates, and order online at **iFill.com**
Scan the QR code to learn more, including upcoming webinars, case studies, and KOL interviews.

References: 1. Sundra, T., Kelty, E. & Rendle, D. (2023) Preliminary observations on the use of ertugliflozin in the management of hyperinsulinaemia and laminitis in 51 horses: A case series. Equine Veterinary Education, 35,311–320. **2.** Sundra, T., Kelty, E., Rossi, G., Lester, G. & Rendle, D. (2025) Horse owner experiences and observations with the use of SGLT2i for the management of equine metabolic syndrome and hyperinsulinaemia-associated laminitis. Equine Veterinary Education, 37, 202–209.